
ISOLDE AP108x Precision. Versatility. Power.











55Hz to 20kHz

Short throw 9

90° x 60°

Isolde AP108x is a powerful, passive, compact point source loudspeaker with the versatility to excel in countless short throw live and installation scenarios. A premium 8" LF transducer incorporating Tetracoil technology ensures best-in-class SPL and massive headroom. The chosen neodymium magnet 1.4" exit throat / 2.4" voice coil HF transducer is from the same family as the drivers employed in our flagship touring series, sharing the same acclaimed intelligibility and audio signature across the range.

As a 2-way loudspeaker, Isolde outshines rival coax designs with superior control and directivity. This precision is augmented by a custom engineered, 3D printed horn concept, enforcing rigid control over the speaker's coverage pattern.

The ability to quickly rotate the horn through 90°, coupled with its unique cabinet shape, allows AP108x to do double duty as a compact wedge monitor. A range of wall, ceiling and pole mounting options underlines Isolde AP108x's readiness to perform wherever high SPL is needed in a small package.

Isolde AP108x is made in Belgium using birch plywood for peerless rigidity and audio transparency.

Technical specifications

Description	2 way passive point source loudspeaker
Transducers	LF: 1 x 8" Tetracoil • HF: 1 × 1.4" exit compression driver / voice coil diameter 2.4"
Frequency range (-6dB)	55 Hz -20 kHz
SPL peak/1m (1)	129dB Mtone 12dB crest factor
Processing	Dedicated AUDIOFOCUS A-series SCiO and Powersoft Armonia presets
Rigging	Optional ceiling mount / vertical yoke / pole mount 0° and 5° tilt
Connectors	2 × 4-point speakON
Nominal Impedance	8ohms
Watt AES/peak	400W / 1600W
Dimensions (H x W x D)	260mm x 495mm x 250mm • 10.2 x 19.5 x 9.8 inches
Weight	10.5kg / 23lbs
Finish	Highly resistant polyurea coating
Cabinet	Top grade birch plywood

(1) Mtone 12 dB crest factor

Rigging accessories Flight case Protective cover Horizontal bracket Flightcase for 2x AP108 AP108 Protective cover

Ref.: 48464

Subwoofers

118SHigh-power active compact 18" subwoofer

Ref.: 48452



S18High-power active compact 18" subwoofer



C210SLow-profile 2×10" self-powered
Subwoofer

Ref.: 48465



Ref.: 48440 Ref.: 48102 Ref.: 48321

Contact & Links

Need more information about our products?

www.audiofocus.eu info@audiofocus.eu www.facebook.com/AudiofocusPage/ www.facebook.com/groups/AUDIOFOCUS/

Scan QR Code to view the ISOLDE AP108x product's web page.



Follow Us.





