



kramer

C-USB3/AB

USB 3.0 A (M) to B (M) Cable



Kramer's C-USB3/AB is a SuperSpeed USB 3.0 Type-A male to Type-B male cable used to connect computers and peripherals, such as printers, scanners, cameras, keyboards, mice and other digital devices for superior signal transfer of up to 4.8Gbps

FEATURES

USB 3.0 A Male to B Male

Transfer Rates up to 4.8Gbps - 10x the capability of USB 2.0

Foil & Overall Braid Provide Maximum Protection Against EMI/RFI

Molded Strain Relief

Backward Compatibility - USB Specifications 1.0, 1.1 and 2.0

RoHS Compliant

Varied Selection of Lengths - Available in versions of 3 to 15ft (0.9 to 4.6m)

Note - The cable's color can vary in some cases



kramer

TECHNICAL SPECIFICATIONS

OVERALL	TYPE: USB 3.0 SuperSpeed MAX. DATA RATE: 4.8 Gbps
PHYSICAL	CONNECTOR A: USB 3.0 type-A male CONNECTOR B: USB 3.0 type-B male CONNECTOR PLATING: Nickel CONDUCTORS: 28/24AWG CABLE SHIELD TYPE: Aluminum-Mylar Foil with Braid OVERALL SHEATH DIAMETER: 5.5mm OUTER SHEATH COLOR: Blue
REGULATORY	STANDARDS: 2011/65/EU



kramer

CONFIGURATIONS

C-USB3/AB-3	USB 3.0 A (M) to B (M) Cable
-------------	------------------------------

C-USB3/AB-6	USB 3.0 A (M) to B (M) Cable
-------------	------------------------------

C-USB3/AB-10	USB 3.0 A (M) to B (M) Cable
--------------	------------------------------

C-USB3/AB-15	USB 3.0 A (M) to B (M) Cable
--------------	------------------------------
