

# CYRIS CX8

Compact 8" coaxial loudspeaker



100° x 100°



80Hz - 18kHz

Cyrus CX8 is a compact 2-way passive loudspeaker delivering exceptional power and 100° x 100° coverage in a discreet, elegant cabinet.

CX8 houses a powerful 8" coaxial transducer featuring an aluminium demodulation ring for low distortion and enhanced intelligibility and employs a lightweight neodymium ring magnet for excellent thermal efficiency.

CX8 can be teamed with other Cyrus series products to create plug 'n play solutions for short throw applications. Its wide dispersion makes CX8 ideal for hospitality spaces requiring even coverage with a small number of speakers. CX8 can be partnered with A-series rack amplifiers or powered direct from active C210Sa and 115Sa / 115SGa subwoofers.

A pole mount attachment allows fast deployment in portable setups while M6 inserts and an optional C bracket enable wall / ceiling mounting.

Cyrus CX8's distinctive curved enclosure is hand-built in Belgium from birch plywood and premium components before being encased in a tough, UV and weather-resistant coating.

## Technical specifications

|                            |  |
|----------------------------|--|
| Description                | Coaxial 2-way passive full-range point source                    |
| Transducers                | 8" Coaxial with 1.46" HF compression driver                      |
| Frequency range (-6dB)     | 80Hz - 18kHz   |
| Nominal directivity (-6dB) | 100°x 100°   |
| Peak SPL (1)               | 134.4 dB   |
| Processing                 | Dedicated AUDIOFOCUS A series SCiO and Powersoft Armonia presets |
| Rigging                    | 2 x M6 inserts for optional U bracket<br>Pole mount              |
| Connectors                 | 2 x 4-point speakON  |
| Nominal Impedance          | 8 ohm<br>Passive cross-over network                              |
| Watt AES/peak              | 280W / 1120W   |
| Dimensions (H x W x D)     | 330 x 250 x 270mm • 13 x 9.8 x 10.6 inches                       |
| Weight                     | 9kg / 20lbs  |
| Finish                     | Highly resistant polyurea coating                                |
| Cabinet                    | High grade birch plywood   |

(1) Mtone 12 dB crest factor with compression of 2dB average in the low section

## Related Products

---

**CYRIS CX5**  
Compact 5" coaxial



**CYRIS CX6**  
Compact 6" coaxial



**C210Sa**  
2x10" self-powered subwoofer



**A-1504 SCIO**  
4 x 1500W amplifier with DSP



**115SGa**  
1x15" self-powered subwoofer



**C210S**  
2x10" passive subwoofer



**115SG**  
1x15" passive subwoofer




**CX8 U BRACKET**  
Wall / ceiling mounting




# Beamwidth

## CYRIS CX8 100° horizontal beamwidth



## CYRIS CX8 100° vertical beamwidth



## Contact & Links

---

### Need more information about our products ?

[www.audiofocus.eu](http://www.audiofocus.eu)

[info@audiofocus.eu](mailto:info@audiofocus.eu)

[www.facebook.com/AudiofocusPage/](https://www.facebook.com/AudiofocusPage/)

[www.facebook.com/groups/AUDIOFOCUS/](https://www.facebook.com/groups/AUDIOFOCUS/)

### Scan QR Code to view the CYRIS CX8 web page:



### Follow Us.

