



## FC-331

3G HD-SDI to HDMI Format Converter

| HDMI | 3G HD-SDI - BNC



The FC-331 is a high-performance format converter for video signals up to 3G HD-SDI (Level A). It converts the input video format (with embedded audio) to an HDMI output signal. The FC-331-MD is certified for medical applications

### FEATURES

Multi-Standard Operation - SDI (SMPTE 259M and SMPTE 344M), HD-SDI (SMPTE 292M) and 3G HD-SDI (SMPTE 424M)

SDI Level A Support

Certified for Medical Applications - According to IEC 60601-1-2 (Electromagnetic Compatibility), (FC-331-MD)

Looping Input with Reclocking

HDTV Compatible

Audio Group De-embedded Selection

Active Input & Output LED Indicators



# KRAMER

## TECHNICAL SPECIFICATIONS

---

INPUT:	1 SD/HD/3G HD-SDI (Level A) with loop on BNC connectors
OUTPUTS:	1 HDMI connector
MAX. DATA RATE:	Up to 3Gbps
Video Latency	<10 $\mu$ s
STANDARD COMPLIANCE:	HDMI
INDICATOR LEADS:	SD/HD, OUT, ON
POWER CONSUMPTION:	5V DC, 400mA
INCLUDED ACCESSORIES:	Power supply
Product Dimension	12.00cm x 7.15cm x 2.44cm (4.72" x 2.81" x 0.96" ) W, D, H
Product Weight	0.2kg (0.4lbs) approx
Shipping Dimension	23.20cm x 12.00cm x 8.90cm (9.13" x 4.72" x 3.50" ) W, D, H
Shipping Weight	0.5kg (1.1lbs) approx



## CONFIGURATIONS

FC-331-MD

3G HD-SDI to HDMI Format Converter for Medical Applications

