



# kramer

## Galil 6-AW

6.5-Inch, 2-Way On-Wall Outdoor Speakers

| Speakers



The Galil 6-AW on-wall outdoor speaker features a multi-tap power transformer for selecting 8Ω (bypassing the transformer) or 70V/100V power settings, which are suitable for an array installation. Suitable for outdoor installations and applications. Available in white or black

### FEATURES

**IP 66 Certified** - Withstands heavy showers and other outdoor conditions

**Type** - 2-way on-wall speaker

**Woofer** - 6.5" polypropylene cone

**Tweeter** - 1" silk dome

**Impedance** - 8Ω

**Power Handling** - 30W RMS 80W, continuous program

**Transformer Taps** - 70V: 30W/15W/7.5W/3.7W/Off (Lo-Z); 100V: 30W/15W/7.5W/Off (Lo-Z)

**Package Includes** - 2 speakers (1 pair), u-mount brackets, grommets

**Colors Available** - Black and white



# kramer

## TECHNICAL SPECIFICATIONS

---

DESCRIPTION:	2-way on-wall speakers
FREQUENCY RESPONSE:	65Hz to 20kHz @-10dB, 80Hz to 20kHz @±3dB
WOOFER:	6.5" (165mm) polypropylene cone with rubber surround
TWEETER:	1" (25mm) silk dome
IMPEDANCE:	8Ω (transformer tap in off position)
TRANSFORMER TAPS:	70V – 30W/15W/7.5W/3.7W/Off (Lo-Z), 100V – 30W/15W/7.5W/Off (Lo-Z)
SENSITIVITY:	85dB+/-3db@15W-1m
MAX SPL:	Continuous: 102dB, peak: 105dB
POWER HANDLING:	30W RMS, 80W continuous program
CROSSOVER FREQUENCY:	4.3kHz
DIRECTIVITY FACTOR (Q):	3.9 averaged 1kHz to 10kHz
DIRECTIVITY INDEX (DI):	5.9dB averaged 1kHz to 10kHz
INPUT CONNECTORS:	Terminal blocks
MATERIALS:	Frame, aluminum grill, steel brackets and ABS cabinet
STANDARDS COMPLIANCE:	IP66 compliant
OPERATING TEMPERATURE:	-15° to +70°C (5° to 158°F)
STORAGE TEMPERATURE:	-30° to +55°C (-22° to 131°F)
HUMIDITY:	10% to 90%, RHL non-condensing
WEIGHT PER SINGLE SPEAKER:	2.8kg (6.2lbs) approx
WEIGHT WITH MOUNTING KIT:	3kg (6.6lbs) approx
SHIPPING WEIGHT (FOR PAIR):	6.6kg (14.6lbs) approx
DIMENSIONS WITH MOUNTING BRACKETS:	21.5cm x 22.5cm x 30.1cm (8.5" x 8.9" x 11.9"), W, D, H
INSTALLATION CLEARANCE:	Front panel to wall (with mounting bracket): 22.7cm (8.9"), back panel to wall (with mounting bracket): 3.8cm (1.5")
ACCESSORIES:	2 mounting brackets (including 4 knobs and 4 mounting screws)
OPTIONS:	BCP-2S speaker cable
COLORS:	Available in white or black





# kramer

## CONFIGURATIONS

---

GALIL-6-AW(PAIR)/BLACK 6.5-Inch, 2-Way On-Wall Speakers - Black

---

GALIL-6-AW(PAIR)/WHITE 6.5-Inch, 2-Way On-Wall Speakers - White

---

