

MOMO C140 Base with Pole Component, for Motion and Motion Plus, 40 cm (white)

Transparency regarding the footprint of our products is very important to us at Vogel's. We care for the environment and are working hard to make our products and the production process more sustainable. This footprint ecosheet provides an overview of the environmental footprint of this specific product to give you insight.

All impacts have been converted to the Global Warming Potential (GWP). This is the impact the product has on climate change expressed in kg CO2 equivalent.

Vogel's. For Tomorrow.

99%

of this product is **RECYCLABLE**

Footprint ecosheet

8,6 kg CO₂ eq. compares to

26 km of car driving

To explain the GWP in a comprehensible manner, we compared it to car driving. For the average European car driving 3,03 km equals 1 kg CO2 eq. (source: Ecoinvent 3.8).

Database: Publishing date: Ecoinvent 3.8 2024-06-17

Product footprint summary of MOMO C140 Base with Pole Component, for Motion and Motion Plus, 40 cm (white)



Manufacturing & materials

We minimize material use and use the impacts values as input for design decisions.


All impact related to manufacturing the product, including the extraction of raw materials, are included. Plastic components all have material marking for recycling. Transport

All transport from the production location to our European warehouse in Oss is included in the calculation.

To calculate the total impact of transport, please use the distance between the location of use and our warehouse. Multiply those numbers with the impact of truck transport per kilometer (numbers on the next sheet).



We display the average energy use of power tools during installation. For our electrical products, we show the total energy use in the average total lifespan. Power usage of electrical devices attached to our products are not included in this footprint. Disposal of all packaging materials is included.



Our product is prepared for standard recycling loops such as paper and metal recycling. Negative values indicate high recycling rates and are considered savings on GWP for future re-use in any form.

12,22 kg CO₂ eq.

0,36 kg CO, eq.

0,09 kg CO₂ eq.

-4,12 kg CO₂ eq.



Ecological impact Total Product GWP **8,6** Kg CO₂ eq



This footprint ecosheet provides detailed information of the environmental footprint of this specific product. The calculated emissions have been converted to kg CO_2 eq.

Manufacturing & materials

	Steel	Aluminium	Plastics	PAP	Wood	Other	Manufacturing
Weight in product	624g	600g	77g	349g	-	-	-
% of tot. weight	37,82%	36,36%	4,67%	21,15%	-	-	-
$kg CO_2 eq.$	1,42	8,43	0,43	0,36	-	-	1,58

Transport

	Factory to warehouse	Warehouse to customer
kg CO_2 eq.	0,36	-

Installation & Use

	Installation	Use	Packaging paper*	Packaging plastics*
kg $\rm CO_2$ eq.	-	-	0,09	-

End of life*

	Metals	Plastics	Woods and other
kg CO_2 eq.	-4,1	0,06	-0,08

*Impact based on average European recycling rates

	Metals	Paper & Cardboard	Plastics	Woods and other
Recycle	80%	95%	20%	-
Incineration	10%	3%	60%	-
Landfill	10%	2%	20%	-

Made with respect for people and the planet.

We use Life Cycle Assessment (LCA) software to fill in this footprint datasheet as accurately as possible. For our calculations we follow ISO 14021:2006 and ISO 14040:2006/14044:2006.