

PX108MK2 High-power speaker 8"

The PX Series are compact full range loudspeaker cabinets for a wide variety of indoor applications. They come in four different models, each of them with different size and performance meeting the requirements for every specific application. The PX108 MK2 is the 8" model of the PX family, consisting of a 8" high output woofer and a compression driver with 1" voice coil. The compression driver is fitted with a 90° x 60° coverage horn which can be rotated enabling both horizontal and vertical use. Thanks to the high quality components and an accurately optimized integrated passive crossover network with tweeter overload protection, the PX108 MK2 delivers a clear and natural sound with an RMS power of 150 Watt and a maximum power of 300 Watt. The frequency range (-10 dB) starts from 70 Hz up to 20 kHz and the sensitivity (1W / 1m) reaches 95 dB while a maximum continuous sound pressure level from 117 dB can be achieved. The construction of the cabinets is made of medium density fibreboard with a durable textured and scratch resistant EPDM coating. The front side of the cabinet is finished with a powder coated steel grill lined with acoustically transparent backing. A recessed carry handle on the rear side makes carrying easy. Positioning and suspension of the speaker is easily achieved by using the standard 35 mm pole adapter on the bottom side and M10 rigging points. An optional mounting bracket provides a complete solution for wall mounting. Two speaker connectors on the rear side of the cabinet provide reliable connections with easy link-through to other cabinets.



## System specifications:

Speaker type		2-way
Max. Power		300 W
RMS Power		150 W
Impedance		8 Ω
Sensitivity (1W/1m)		95 dB
Sound Pressure (Max. W/1m)		117 dB
Frequency	Response (± 3 dB)	95 Hz - 18 kHz
	Range (-10 dB)	70 Hz - 20 kHz
Crossover	Frequency	2.5 kHz
	Туре	Passive built-in
Dispersion	Horizontal	90°
	Vertical	60°
Connectors		2 x Speakon compatible (Linkthrough)
Drivers	HF	1" Compression driver
	MF	8"

## **Product Features:**

Dimensions		293 x 503 x 300 mm (W x H x D)
Weight		14 kg
Construction		Medium Density Fibreboard with structured coating
Front finish		Powder coated steel grill with lining
Mounting & handling	Rigging points	8 x M10
	Stand fitting	35 mm pole adapter on bottom
		M10 screw flange on top
	Carry handles	On both sides
Colours		Black (RAL9005) (PX108MK2)
		White (RAL9010) (PX108MK2/W)
Accessories	Optional	CPB108P Protective cover bag
		MBK108 Wall mounting bracket

## Shipping & Ordering:

Packaging	Cardboard box
Shipping weight & volume	15.000 kg - 0.080 Cbm

