

## SFP1-C

Copper 1G SFP transceivers





SFP1-C is a copper SFP transceiver. This standard pluggable SFP copper module has an RJ-45 connector.

## **FEATURES**

Certified Transceiver - Kramer certified, hot-pluggable SFP copper module, for high-quality transmission of 1000BASE-T signal over Cat5 UTP cable



## **TECHNICAL SPECIFICATIONS**

COPPER LINE: Cat5 UTP Cable

PORTS: RJ-45

MAX. REACH: 100m (0.62 miles)

TYPICAL POWER CONSUMPTION

1W

REGULATORY TUV R50135086 CERTIFICATIONS: UL E317337

CERTIFICATIONS: UL E317337

EMC CE AE 50285865 0001 FCC WTF14F0514417E

OPERATING

TEMPERATURE:

0° to 70°C

STORAGE

-40° to 85°C

 ${\tt TEMPERATURE}:$ 

HUMIDITY: 5% to 95% RH

Product Dimensions 1.33 cm x 5.70 cm x 0.85 cm (0.52" x 2.24" x 0.33") W, D, H

Product Weight 0.0kg (0.0lbs) approx

Shipping Dimensions  $12.60cm \times 8.40cm \times 4.10cm (4.96" \times 3.31" \times 1.61") W, D, H$ 

Shipping Weight 0.1kg (0.1lbs) approx

