

Club Beam 100

Product Code: SG CLBEAM100

Moving head Club Beam led 100W











Light source

- 1x100W white led high brightness
- Color temperature 5600K
- LED lifes pan: >50.000h
- LED Refresh frequency: >400Hz flicker-free

Optic system

- Beam angle: 4°
- Electronic focus
- Luminous flux: 21300 lux @5mt (4°)

Color system

• Color wheel with 14 colors + white

Effects

- · Gobo wheel: 17 fixed gobos
- Bidirectional gobo scroll with adjustable speed
- · 8-facet rotating prism with adjustable speed
- · Color rainbow effect in both directions
- Linear dimmer 0 100%
- High speed electronic strobe max.25 flashes/s, with adjustable speed
- Random strobe and pulse dimmer effects with adjustable speed

Control and programming

- 2 DMX configurations available: 10/12 channels
- Protocol USITT DMX 512
- Pan&Tilt 8/16 bit selectable
- Master / Slave mode
- Sound mode with adjustable microphone sensitivity
- · Auto mode with 7 internal programs selectable from display
- Reset via DMX

Structure and cabinet

- Black aluminium/metal Housing, and plastic materials with high resistance
- Red LED display
- 3 different Pan&Tilt angle presets: PAN 360°-540°-630°, TILT 90°-180°-270°
- Mounting points with 1 omega holder
- · Automatic repositioning of PAN and TILT after accidental movement not controlled by control unit
- 3-poles XLR in/out connection
- IP Rating: IP 20
- Forced air fan cooling system with electronic control

Power supply

- Input Voltage: AC~100-240V 50/60Hz
- Switching power supply unit
- Max power: 120W @ 230VAC
- IN power connection with powerCON sockets

• Power supply cable 1,5 mt included

Weight and dimensions

• Net weight: 7,3 kg

• Dimensions:: 270x149x364 mm

Technical specifications and appearances are subject to change without notice and accuracy is not guaranteed. All trademarke are the property of their respective owners. PROEL accepts no liability for any loss which may be suffered by any person who relies either wholly or in part upon any description, photograph or statement contained herein. Colors and specifications may vary from actual product. PROEL products are sold through authorized full fillers and resellers only. This manual is copyrighter. No part of this manual may be reproduced or transmitted in any form or by any means, electronic or mechanical, including photocopying and recording of any kind, for any purpose, without the express written permission of PROEL - Via alla Ruenia 37/43 - CAP 64027 - Sant'Omero (TE) ITALY.



