



# Club Wash

*Product Code: SG CLWASH*

Moving head Club Wash led 36X10W led RGBW/FC ZOOM



## Description

---

The CLUB series was designed by listening to the needs of indoor and outdoor entertainment professionals. The winning features of this new range are: the lighting efficiency, compactness and functionality, three core values in today's market. Club WASH has sufficient lighting efficiency to replace the most traditional motorised wash machines with discharge lamp, thanks to the use of 36 high power 10W LED sources with full colour RGBW/FC technology and an electronic zoom with variable aperture angle from 8° to 50°. Compactness was one of the main objectives, making the Club line suitable for any type of set-up and user. Functions are no less outstanding, all the features of a very common, larger machines have also been added to the wash version.

## Technical Specifications

---

### Light Source

- 36x10W led RGBW Full Color
- LED lifespan: > 50.000h
- LED refresh frequency: > 400Hz flicker-free

### Optic system

- Beam Angle: zoom from 8° to 50°
- Luminous flux: 1.130 lux @ 5mt (8°)

### Color system

- LED source RGBW Full color
- Infinite chromatic possibilities

### Effects

- Linear dimmer 0-100%
- High speed electronic strobe max.25 flashes/s, with adjustable speed
- Random strobe and pulse dimmer effects with adjustable speed
- Color macros selectable via DMX

### Control and programming

- 1 DMX configuration available: 14 channels
- Protocol USITT DMX 512
- Master/Slave mode
- Sound mode with adjustable microphone sensitivity
- Auto mode
- Reset via DMX

### Structure and cabinet

- Black metal housing and high resistance plastic materials
- Blue LCD graphic display
- Selectable Pan angle 540° / 630°
- Mounting points: 1 pairs of 1/4-turn locks
- Automatic repositioning of Pan and Tilt after accidental movements
- XLR 3-poles DMX IN/OUT connection
- IP rating: IP20
- Forced air cooling system with electronic control

### **Power supply**

- Input Voltage: AC~100-240V, 50/60 Hz
- Switching power supply unit
- Power consumption: 370W
- Power input with PowerCON connector
- Power supply cable 1mt included

### **Weight and Dimensions**

- Net weight: 9,8 kg
- Dimensions: 335x235x442 mm

---

Technical specifications and appearances are subject to change without notice and accuracy is not guaranteed. All trademarks are the property of their respective owners. PROEL accepts no liability for any loss which may be suffered by any person who relies either wholly or in part upon any description, photograph or statement contained herein. Colors and specifications may vary from actual product. PROEL products are sold through authorized fullfillers and resellers only. This manual is copyrighter. No part of this manual may be reproduced or transmitted in any form or by any means, electronic or mechanical, including photocopying and recording of any kind, for any purpose, without the express written permission of PROEL - Via alla Ruenia 37/43 - CAP 64027 - Sant'Omero (TE) ITALY.

Sagitter is a brand of Proel Spa | Via alla Ruenia  
37/43 64027 Sant'Omero (TE) ITALY  
Tel. +39 0861 81241 | Fax. +39 0861 887862 |  
[www.sagitter.com](http://www.sagitter.com)

