



IP Color 9C

Product Code: SG IPLED9C

IP 65 architectural led 9X10W RGBW/FC



Description

IPLLED is the new Sagitter series of IP65 projectors with LED source developed for various uses, common to all architectural and live lighting settings. Our main goal was colour equality of the "full colour" version IPLLED projectors, achieved through the use of special high power RGBW/FC LED sources in the 4 models, two with 9 LEDs, one with 18 and one with 24. IPLLED9C has a powerful and diffused light beam suitable for medium and small surfaces or locations, its light source consists of 9 8W RGBW/FC LEDs. Its die-cast aluminium mechanism makes it compact, sturdy and noiseless. The colour technology used offers a wide range of colours and thanks to the inclusion of the white LED source, it is possible to customise and balance the colour temperature, with a number of options already available and stored in the software. Furthermore, the IR remote control included makes it possible to individually control the product with no need for a control unit.

Technical Specifications

Light Source

- 9x10W led RGBW Full Color
- LED lifespan: > 50.000h
- LED refresh frequency: > 400Hz flicker-free

Optic system

- Beam Angle: 25°

Color system

- LED source RGBW Full color
- Infinite chromatic possibilities

Effects

- Linear dimmer 0-100%
- Adjustable strobe effect
- Color macros selectable via DMX

Control and programming

- 3 DMX configurations available: 3/6/7 channels
- Key lock password for display lock
- Protocol USITT DMX 512
- Master/Slave mode
- Auto mode
- Remote controller included

Structure and cabinet

- Die cast aluminium housing
- LCD graphic display
- Front tempered glass
- "Light up" positioning with adjustable angle
- IP rating: IP65
- DMX IN/OUT connectors IP65
- Convection cooling system without fans

Power supply

- Input Voltage: AC~100-240V, 50/60 Hz
- Switching power supply unit
- Power consumption: 80W
- IN/OUT power connection IP65

Weight and Dimensions:

- Net weight: 3,8 kg
- Dimensions: 202x122,3x222 mm

Technical specifications and appearances are subject to change without notice and accuracy is not guaranteed. All trademarks are the property of their respective owners. PROEL accepts no liability for any loss which may be suffered by any person who relies either wholly or in part upon any description, photograph or statement contained herein. Colors and specifications may vary from actual product. PROEL products are sold through authorized fullfillers and resellers only. This manual is copyrighter. No part of this manual may be reproduced or transmitted in any form or by any means, electronic or mechanical, including photocopying and recording of any kind, for any purpose, without the express written permission of PROEL - Via alla Ruenia 37/43 - CAP 64027 - Sant'Omero (TE) ITALY.

Sagitter is a brand of Proel Spa | Via alla Ruenia
37/43 64027 Sant'Omero (TE) ITALY
Tel. +39 0861 81241 | Fax. +39 0861 887862 |
www.sagitter.com

