

# **SLIMBAR 12 PIX**

Product Code: SG SLIMBAR12P

Bar projector Slimbar 12X15W led RGBW/FC IRC (included)





# Light source

- 12x15W led RGBW Full Color
- LED lifes pan: >50.000h
- LED refresh frequency: >400Hz flicker free

# Optic system

- Beam angle: 10° x 45°
- · Luminous flux: 1420 lux@5mt

## Color system

- LED source 4 in 1 RGBW Full Color
- Infinite chromatic possibilities and colour temperature control

#### **Effects**

- Linear Dimmer 0-100%
- Electronic strobe: 1-20 flashes/s with adjustable speed
- Color macros selectable by DMX
- Single pixel control

## Control and programming

- 7 DMX configurations available in: 3/4/5/8/10/48/52 channels
- Protocol USITT DMX 512
- Master / Slave mode
- · Sound mode with adjustable mic sensitivity
- Static color mode with independent adjustment of strobe
- Automatic mode with 12 different programs selectable from the display with independent adjustment of the speed and strobe
- Color mode with 51 different pre-programmed color macros with independent adjustment of the strobe
- IR remote controller included with possibility to select colors or macros (Included)

## Structure and cabinet

- · Aliminum housing, black color
- color LCD graphic display
- Mounting points: double adjustable bracket oN the left and right. Single central bracket for suspension
- "Light up" positioning with angle adjustment
- 3-poles XLR in/out connection
- IP rating: IP 20
- Forced air fan cooling system with electronic control

## Power supply

- Input Voltage: AC~100-240V 50/60Hz
- Switching power supply unit
- Max power: 190W @ 230VAC
- Power IN/OUT connection with powerCON socket
- Power supply cable 1,5 mt included

• Max 4 pcs linkable @240V

# Weight and dimensions

• Net weight: 5,1 kg

• Dimensions:: 1010x140x160 mm

Technical specifications and appearances are subject to change without notice and accuracy is not guaranteed. All trademarke are the property of their respective owners. PROEL accepts no liability for any loss which may be suffered by any person who relies either wholly or in part upon any description, photograph or statement contained herein. Colors and specifications may vary from actual product. PROEL products are sold through authorized full fillers and resellers only. This manual is copyrighter. No part of this manual may be reproduced or transmitted in any form or by any means, electronic or mechanical, including photocopying and recording of any kind, for any purpose, without the express written permission of PROEL - Via alla Ruenia 37/43 - CAP 64027 - Sant'Omero (TE) ITALY.



