

# Slimpar 18C

Product Code: SG SLIMPAR18C

Projector Slimpar 18X1W led RGB IRC (included)



#### Description

SLIMPAR rewrites lighting techniques. The line was completely designed to meet the needs of occasional users; the main feature of the projectors of this new line is ease of use, as all the functions of the projector have been fully simplified and optimised, e.g. by adding the IR control (included) that makes all operations easier, giving the possibility to launch "preset" programs or colours without using the DMX signal. Among the variety of available colours, the Slimpar line offers various "sizes" and "sources", in addition to the last generation DL (Dark Light) technology. Thanks to the use of these innovative high performance 6 in 1 RGBWAU LED sources it is possible to obtain ultraviolet light, now trendy in a great number of dance events, at the same time as maintaining all the many colour hues reproduced by the full colour RGBWA, RGBW, RGB sources. The body of all Slimpar projectors has been designed in ABS plastic, assuring the utmost sturdiness. The compact size assure various possible uses and pendant installation, thanks to handy anchor brackets and supported in "light up" position, directly exploiting the projector's exclusive design.

#### Technical Specifications

### **Light Source**

- 18x1W led RGB
- LED lifes pan: > 50.000h

#### Optic system

• Beam Angle: 25°

### Color system

- LED source RGBW (6R 6G 6B)
- Infinite chromatic possibilities

## Effects

- Linear dimmer 0-100%
- Adjustable strobe effect
- Random strobe effect
- Color macros selectable via DMX

# Control and programming

- 1 DMX configuration available: 6 channels
- Protocol USITT DMX 512
- Master/Slave mode
- Sound mode
- Auto mode
- IR remote control

## Structure and cabinet

- ABS housing black color
- Red LED display
- Mounting points: double adjustable bracket
- "Light-up" positioningwithout brackets
- XLR 3-poles DMX IN/OUT connection
- IP rating: IP20

• Forced air fan cooling system

## Power supply

• Input Voltage: AC~100-240V, 50/60 Hz

Switching power supply unitPower consumption: 25W

• Power supply cable 1mt included

# Weight and Dimensions:

• Net weight: 1,25 kg

• Dimensions: 230x105x200 mm





