

SPK-W611(PAIR)

Two-Way On-Wall Speakers

| Speakers



The SPK-W611 is a pair of two-way speakers designed for mounting on the wall. They have an acoustic suspension design and aluminum grilles

FEATURES

Frequency Response - 45Hz to 20kHz

Impedance - 6Ω

Tweeter - 1" (2.54cm) silk dome

Woofer - 6.5" (16.5cm) polypropylene cone, rubber surround

Crossover - With 12dB/octave Crossover Frequency - 4.3kHz

Sensitivity - 88dB, SPL 1 watt @1 meter with 1kHz

Recommended Power - 40W RMS to 80W max

Grille - Aluminum grilles with UV treatment compliance

Dimensions - 22.5cm x 22.3cm x 30.3cm (8.9" x 8.8" x 11.9") W, D, H

Weight (Single Speaker) - 2.6kg (5.7lbs) approx Shipping Weight (Pair) - 5.6kg (12.3lbs) approx

Accessories - 2 mounting brackets (fixed and rotating)

Package - 2 speakers (1 pair), mounting brackets and user manual

TECHNICAL SPECIFICATIONS

TYPE: 2-way speaker

FREQUENCY RESPONSE: 45Hz to 20kHz

WOOFER:

6.5" (16.5cm) polypropylene cone, rubber surround

TWEETER:

1" (2.5cm) silk dome

CROSSOVER:

With 12dB/octave

CROSSOVER

SENSITIVITY:

4.3kHz

55Hz

FREQUENCY:

88dB (2.83V @1 meter)

FREE AIR RESONANT

.

FREQUENCY:

NOMINAL IMPEDANCE:

 6Ω

INPUT POWER:

40W RMS, 110W continuous program

DIMENSIONS

(including bracket):

21.5cm x 23cm x 29.5cm (8.5" x 9.1" x 11.6") W, D, H

INCLUDED

Two mounting brackets (fixed and rotating)

ACCESSORIES:



CONFIGURATIONS

SPK-

W611(PAIR)/BLACK

SPK-

W611(PAIR)/WHITE