



# KRAMER

## TBUS-10xl

Table Mount Modular Multi-Connection  
Solution – Manually Retracting Lid

---



The TBUS-10xl is the enclosure of a new modular system with a manually retracting lid. A complete TBUS system requires the enclosure, an inner frame, a power socket, inserts and a power cord.

NOTE: The TBUS enclosure, inner frame, power socket(s), power cord & inserts are purchased separately

## FEATURES

---

**Cover** - Manually opens & closes

**Inner Frames** - T10F-22M can accommodate a combination of up to 2 power sockets, 2 inserts, 1 opening for a Kramer MegaTOOL SID-X1N; T10F-33 contains 3 power sockets and 3 inserts

**Power Sockets** - 11 different "TS" single and 10 dual power socket options are available to accommodate the power requirements worldwide

**Power Cord** - 8 different "C-AC" single power cords (and 3 "Y" power cords) for each power socket. UL and CE qualified

**Connector Depth** - Adjustable

**Installation Requirement** - Table cutout of 245mm x 154mm (9.65" x 6.07")

**Dimensions** - Top plate: 171.6mm x 261mm (6.8" x 10.3") W, D

**Weight** - TBUS-10xl: 1.35kg (2.8lbs) approx.; table clamps: 0.25kg (0.6lbs) approx

**Accessories** - TBUS clamps (part of the TBUS enclosure), cut-out template, template screws, self-locking ties

**Options** - Inner frames, passive wall plates and interfaces, power socket kits, power cord, T-2INSERT kit, T-RC-8IR kit, T-RC-76 kit, T-RC-78 kit, Kramer K-Able Box (furniture-mounted cable extension)



# KRAMER

## TECHNICAL SPECIFICATIONS

---

PHYSICAL	Cutout Size: 245mm x 154mm (9.65" x 6.07")
Accessories	Included: TBUS clamps (part of the TBUS enclosure), cut-out template, template screws, self-locking ties  Optional: Inner frames, passive wall plates and interfaces, power socket kits, power cord, inserts
Product Dimensions	26.00cm x 17.20cm x 15.13cm (10.24" x 6.77" x 5.96" ) W, D, H
Product Weight	2.0kg (4.4lbs) approx
Shipping Dimensions	36.10cm x 28.20cm x 26.10cm (14.21" x 11.10" x 10.28" ) W, D, H
Shipping Weight	3.3kg (7.3lbs) approx



# KRAMER

## CONFIGURATIONS

---

TBUS-10XL(B)	Enclosure - Black Sand Blasted Anodized Aluminum Top
TBUS-10XL(BC)	Enclosure - Silver Sand Blasted Anodized Aluminum Top
TBUS-10XL(BA)	Enclosure - Silver Brushed Anodized Aluminum Top

---

