KRAMER





TP-583T/TP-583R Quick Start Guide

This guide helps you install and use your TP-583T/TP-583R for the first time.


Go to www.kramerav.com/downloads/TP-583T, TP-583R to download the latest user manual and check if firmware upgrades are available.

Step 1: Check what's in the box

- **TP-583T** HDMI Line Transmitter or
- ☑ TP-583R HDMI Line Receiver
- ✓ 1 Power adapter and cord ✓ 4 Rubber feet
- I Quick start guide
- ✓ 1 Bracket set

Step 2: Get to know your TP-583T and TP-583R

TP-583T




| # | Feature | Function |
|----|--|---|
| 1 | IN LED | Lights green when an active source device input signal is detected. |
| 2 | OUT LED | Lights green when an active, far-end sink (acceptor) connection is detected via the HDBT link. |
| 3 | LINK LED | Lights green when an HDBT link is established with the HDBaseT receiver. |
| 4 | ON LED | Lights green when the device receives power. |
| 5 | LINE RJ-45 Connector | Connect to the RJ-45 HDBT LINE connector on a receiver (for example, TP-583R , TP-780R and so on). |
| 6 | HDMI™ IN Connector | Connect to an HDMI source. |
| 7 | SETUP DIP-switches | Set the operation DIP-switches. |
| 8 | RS-232 (G, Rx, Tx) 3-pin Terminal Block Connector | Connect to a laptop to control the receiver or perform firmware upgrade. Connect to a controller device (for example, SL-240C) to serially control a remote device (for example, the HDMI OUT acceptor) that is connected to TP-583R . |
| 9 | IR 3.5mm Mini Jack Connector | Connect to an external infrared emitter / sensor. |
| 10 | 12V DC Power Connector | 12V DC connector for powering the unit. |






Rev:



| # | Feature | Function |
|----|--|---|
| 1 | IN LED | Lights green when an active, far-end source device input signal is detected via the HDBT link. |
| 2 | OUT LED | Lights green when an active sink (acceptor) connection is detected. |
| 3 | LINK LED | Lights green when an HDBT link is established with the HDBaseT transmitter. |
| 4 | ON LED | Lights green when the device receives power. |
| 5 | LINE RJ-45 Connector | Connect to the RJ-45 HDBT LINE connector on a transmitter (for example, TP-583T , TP-780T and so on). |
| 6 | HDMI® OUT Connector | Connect to an HDMI acceptor. |
| 7 | SETUP DIP-switches | Set the operation DIP-switches. |
| 8 | RS-232 (G, Rx, Tx) 3-pin Terminal Block Connector | Connect to a laptop to control the receiver or perform firmware upgrade. Connect to a serially controlled device (for example, the HDMI OUT acceptor) to enable its control by a remote controller device (for example, SL-240C) that is connected to TP-583T . |
| 9 | IR 3.5mm Mini Jack Connector | Connect to an external infrared emitter / sensor. |
| 10 | 12V DC Power Connector | 12V DC connector for powering the unit. |


Step 3: Install TP-583T/TP-583R

Install **TP-583T/TP-583R** using one of the following methods: Attach the rubber feet and place the unit on a flat surface. Fasten a bracket (included) on each side of the unit and attach it to a flat surface. For more information go to <u>www.kramerav.com/downloads/TP-583T, TP-583R</u>. Mount the unit in a rack using the recommended rack adapter (see <u>www.kramerav.com/product/TP-583T, TP-583R</u>).




Step 4: Connect the inputs and outputs

Always switch OFF the power on each device before connecting it to your **TP-583T/TP-583R**. For best results, we recommend that you always use Kramer high-performance cables to connect AV equipment to **TP-583T/TP-583R**.



RJ-45 Pinout:

For HDBT cables, it is recommended that the cable ground shielding be connected/soldered to the connector shield:



For optimum range and performance use the recommended Kramer cables available at <u>www.kramerav.com/product/TP-583T, TP-583R</u>.

DIP-Switch Settings

The DIP-switches are used to:

- Set the compression levels and resolutions.
- Enable RS-232 signal extension.
- Upgrade the firmware.
- Determine IR signal pass-through.
- (i) All the DIP-switches are set to **OFF** (up) by default.
- () To use your **TP-583T** or **TP-583R** with any other standard HDBaseT

extender (without compression), verify that DIP-switch 1B is OFF (up).

A – DIP-switch Settings

| # | Feature | DIP-switch Settings |
|----|--|--|
| 1A | Reserved | Set to OFF (up). |
| 2A | Set the Compression Level (for extended range) | OFF (up) – Standard compression level. ON (down) – High compression level for additional extension. |

B – DIP-switch Settings

Changes to DIP-switches 2B and 3B only take effect after power cycling the device.

| # | Feature | DIP-switch Settings |
|--------|----------------------------------|--|
| 1B | Define Compressed Resolutions | OFF (up) – Compress signal resolutions higher than 1080p. ON (down) – Compress all signal resolutions to enable extended reach. |
| 2B, 3B | Define RS-232 Function | OFF (up), OFF (up) – Embed RS-232 data and control signals over the extension line. Other DIP-switch settings are reserved for firmware upgrade. For further details, contact support@kramerav.com. |
| 4B | Define IR Pass-through | OFF (up) – Pass-through the IR signal to the IR port via IR cable. ON (down) – Add IR modulation to the IR output signal (applies only when the IR port is connected to an IR emitter cable). The IR Pass-through DIP-switch setup depends on the IR control configuration. We recommend that you test which position best suits your application. |

Step 5: Connect the power

Connect the 12V DC power adapter to TP-583T/TP-583R and plug it into the mains electricity.

Safety Instructions

Caution:There are no operator serviceable parts inside the unit.Warning:Use only the Kramer Electronics power adapter that is provided with the unit.Warning:Disconnect the power and unplug the unit from the wall before installing.See www.KramerAV.comfor updated safety information.



