


## VIC8 / VIC8X

### CEILING LOUDSPEAKERS

*In-ceiling Loudspeaker w/ Back Can & Tile Bridge*



### PRODUCT OVERVIEW

VIC8 is an in-ceiling loudspeaker with a great sound performance. It features an 8" woofer + 0.5" steerable tweeter, 60WRMS @ 8ohm nominal power and 70/100V line transformer with 60/30/15/7.5/3.75W power connections. Includes a metallic alloy grill ready to be painted if needed. VIC series provide a careful selection of components in a user-friendly design that seeks speed and versatility of installation on any surface, while maintaining excellent sound quality.

VIC8X shares the same features as VIC8, and includes Back Can and Tile Bridge to provide more flexibility and versatile installation choices.

### KEY FEATURES

- 2-way cabinet, 8" woofer and 0,5" steerable tweeter
- 60WRMS @ 8Ω
- Power selector: 60 / 30 / 15 / 7.5 / 3.75W @ 70V  
60 / 30 / 15 / 7.5W @ 100V  
8Ω position
- Sensitivity (1W/1m): 88 dB SPL
- Metallic alloy paintable grill
- Diameter: 282mm
- Depth: 115mm (VIC8) ; 200mm (VIC8X)
- Colour: White, RAL9010
- Back can (only VIC8X)
- Tile bridge (only VIC8X)

### APPLICATIONS

- Corporate and residential buildings
- Commercial premises
- Leisure centres
- Health and sport centres
- Auditorium, museums
- Meeting and conference rooms

### ACCESSORIES AND COMPATIBLE DEVICES

- VIC6/ VIC6X & VICSB8 / VICSB8X
- AVICSG
- AVICCAN8L


## TECHNICAL SPECIFICATIONS

## VIC8 / VIC8X


Impedance	8 $\Omega$
RMS power	60W
Power options	100V: 60W / 30W / 15W / 7.5W 70V: 60W / 30W / 15W / 7.5W / 3.75W
Sensitivity 1W/1m	88dB
Recommended cut out diameter	246mm
Required depth	120mm
Dimensions ( $\varnothing$ xD)	VIC8: 282x115mm / 11.1"x4.5" VIC8X: 282x200mm / 11.1"x7.9"
Weight	VIC8: 2.3kg / 5 lb. VIC8X: 3.1kg / 6.8 lb.

POLAR DIAGRAMS

VIC8




VIC8X




FREQUENCY RESPONSE

VIC8




VIC8X




MECHANICAL DIAGRAMS



Front & grill view:




VIC8 rear view:



VIC8X lat & rear view:



MOUNTING DIAGRAM





All product characteristics are subject to variation due to production tolerances. **NEEC AUDIO BARCELONA S.L.** reserves the right to make changes or improvements in the design or manufacturing that may affect these product specifications.

Motors, 166-168 08038 Barcelona - Spain - (+34) 932238403 | [information@ecler.com](mailto:information@ecler.com) | [www.ecler.com](http://www.ecler.com)