

VM-3AN

1:3 Balanced Stereo Audio Distribution Amplifier



The VM-3AN is a high-performance distribution amplifier for balanced stereo audio signals. The unit takes one stereo input and distributes the signal to three identical outputs

FEATURES

S/N Ratio - 90dB

L & R Level (Gain) Controls



TECHNICAL SPECIFICATIONS

INPUT: 1 balanced stereo audio on a 5-pin terminal block

OUTPUTS: 3 balanced stereo audio on 5-pin terminal blocks

MAX. OUTPUT

LEVEL:

Audio: 18.5Vpp

BANDWIDTH (-3dB): >100 kHz

S/N RATIO:

90dB @1kHz

CONTROL:

Output level control:-77 to +6dB, R+/-, L+/- channels

AUDIO THD + NOISE: 0.008%

AUDIO 2d

0.001%

HARMONIC:

POWER

12V DC, 89mA

CONSUMPTION:

INCLUDED ACCESSORIES: Power supply

Product Dimensions

12.00cm x 7.15cm x 2.44cm (4.72" x 2.81" x 0.96") W, D, H

Product Weight

0.2kg (0.4lbs) approx

Shipping Dimensions 23.20cm x 12.00cm x 8.90cm (9.13" x 4.72" x 3.50") W, D, H

Shipping Weight 0.5kg (1.1lbs) approx

