## **BYOD COLLABORATION**

# Versa® Pro 50



Improve the BYOD experience in huddle spaces and small conference rooms by adding professional quality audio and video.

- > One CONVERGE® Huddle CTH audio DSP mixer for a professional audio experience
- > One Ceiling Microphone Array with 360-degree coverage reducing noise and reverberation.
- > Clutter-free with optional CONVERGE Huddle VESA mount
- One UNITE® 50 4K ultra-wide 120-degree ePTZ camera with 1080p30, and 3x digital zoom to capture all participants in a huddle space or small room.
- > Now, configure Versa Pro CT directly through the USB port, or use network Ethernet jack.
- > Monitor, control, and audit Versa Pro CT with CONVERGENCE™ unified AV network management software.
- Complimentary 90-day trial of COLLABORATE Space, our powerful cloudbased video collaboration application with a full suite of audio, video, and meeting tools in a persistent space.

Huddle spaces

**WORKSPACES** 

- Small meeting rooms
- Executive offices



Professional, crystal-clear audio
Includes ClearOne's CONVERGE®
Huddle CTH audioDSP mixer and Ceiling
Mic Array for crystal-clear voice clarity and
an unrivaled audio experience.



# Enhances Any Cloud-based App

Add pro-quality audio and HD video to your app, such as COLLABORATE Space, Microsoft Teams, Zoom, WebEx, and GoToMeeting.

### **APPLICATIONS**

- BYOD video conferencing
- BYOD audio conferencing
- In-room presentation




# **CLOUD-BASED COLLABORATION**

# VISUAL COLLABORATION

Versa Pro 150 using Room PC a display, with optional ClearOne Ceiling Loudspeakers

# **COLLABORATE® Versa Pro 50**





## BYOD COLLABORATION

# VISUAL COLLABORATION

# Versa® Pro 50

#### **INCLUDES**

- •CONVERGE® Huddle CTH
- •UNITE® 50 4K ePTZ camera
- Ceiling Mic Array (White)
- PoE Injector Kit

#### **CONVERGE HUDDLE CTH**

#### **INPUTS**

- •3 channel balanced audio mic/line inputs with AEC
- •1 channel balanced audio line input without AEC
- •3.81mm orange-color Phoenix/Euroblock type male header, push-on mini-terminal block

#### **LINE OUTPUTS**

- •2 channel balanced audio line outputs, 3.81mm blackcolor Phoenix/Euroblock type male header, push-on mini-terminal block
- •1 USB 3.0 Type-B
- •1 USB 3.0 Type-A
- •RJ-45, 10/100/1000Mbps, passthrough to USB-B 3.0

#### **HDMI RESOLUTIONS**

- •1600 x 1200p @ 60Hz, 4:3 ratio
- •1920 x 1200p @ 60Hz, 16:10 ratio
- •2560 x 1440p @ 60Hz, 16:9 ratio

#### **UNITE 50 EPTZ HD CAMERA**

- •120° wide-angle field view with EPTZ support
- Full auto-focus, limited-distortion lens
- •Low-light 2D and 3D algorithm
- •Image SNR as high as 55dB

#### CONTROL

•Remote control, USB (UVC), RS-232

#### **CEILING MICROPHONE ARRAY**

#### **ACOUSTIC CHARACTERISTICS**

- Polar Pattern: Cardioid
- Dynamic Range: 80 dB, 1 kHz @ max SPL
- Signal/Noise Ratio: 60 dBA, 1kHz @ 1Pa
- Frequency Response: 100 Hz 12kHz
- Sensitivity: 114 mV/Pa

#### **ELECTRICAL CHARACTERISTICS**

- Element: Fixed-charge back plate permanently polarized condenser
- Phantom Power Requirement: 12-52 vdc, 2 mA typical
- •Impedance: 200  $\Omega$

#### **PART NUMBER**

- •930-3200-050 COLLABORATE Versa Pro INCLUDES
- •910-3200-706 CONVERGE® Huddle CTH
- •910-2100-004 UNITE® 50 4K ePTZ camera
- •910-001-013-W Ceiling Mic Array (White)
- •910-3200-202 PoE Injector Kit

### **SALES AND INQUIRIES**

Headquarters

5225 Wiley Post Way Suite 500

Salt Lake City, UT 84116

US & Canada

Tel: 801.975.7200 Fax: 801.303.5711 International

Tel: +1.801.975.7200 global@clearone.com Sales

Tel: 801.975.7200 sales@clearone.com

Tech Support

Tel: 801.974.3760

tech.support@clearone.com