

A concept providing power, data, and media where you want it



Powerdot


Fixed level unit

Black 935-PD10

White 935-PD10W



Dimensions



Can be supplemented with decor frame.



CERTIFIED ACCORDING TO
CE AND GS STANDARD



1 POWER



4 CABLE FEEDTHROUGH

Simple and functional

A convenient satellite fitted with an electrical outlet and four cable ports. Its detachable top allow for an easy insertion of additional cables. Quick and simple installation flush with the desk surface.



SPECIFIKATIONS

- 1 x Power, 4 x Cable feedthrough
- Electrical Connection:
Schuko / grounded 1.5m
- Drilling diameter 79 mm
- Total height 51 mm
- Part no.
Black 935-PD10
White 935-PD10W
Accessories:
Decor frame, 115x115 mm;
Available in Silver / White / Black




Powerdot

Three level unit

Black 935-PD11



Principle for height adjustment



CERTIFIED ACCORDING TO
CE AND GS STANDARD





1 POWER



4 CABLE FEEDTHROUGH

Ingenious design!

A unique satellite outlet, with a pending patent, that offers three alternative height configurations. When installed at its 3rd and lowest level, cables and ports are elegantly hidden within the satellite well.



SPECIFIKATIONS

- 1 x Power, 4 x Cable feedthrough
- Electrical Connection: Schuko / grounded 1.5m
- Drilling diameter 79 mm
- Height 89-140 mm
- Patent-pending PCT, China.
- Part No.
935-PD11 Adjustable in 3 levels
- Accessories:
 - Decor frame, 115x115 mm
 - Cover lid
- Available in Silver / White / Black

Powerdot




Three level unit

Black 935-PD12




White 935-PD12W



Principle for height adjustment




CERTIFIED ACCORDING TO CE AND GS STANDARD

-  1 POWER
-  1 DATA
-  1 USB-CHARGER

Unique patent pending technology

These satellite outlets are well suited for both individual desks and conference tables. Their combined use offer a complete technical solution, when a wide range of options is required. The satellite is easily mounted in table tops and can after that be adjusted in three levels depending on desired feature or needs.



Can also be supplemented with decor frame for installation of 1, 2 or 4 satellites in groups.

SPECIFICATIONS

- Electrical Connection:
 - Schuko / grounded 1.5m
 - Data CAT6
 - USB Charger 5V, 2100 mA
- Adjustable in 3 levels
- Drilling diameter 79 mm
- Power, data, USB charger
 - Black 935-PD12
 - White 935-PD12W
- Accessories:
 - Decor frame, 115x115 mm
 - Cover lid
 - Available in Silver / White / Black

Powerdot

Three level unit

Black 935-PD13






935-PD13

Power, HDMI and USB port



Frame and lid available as accessories

Principle for height adjustment



CERTIFIED ACCORDING TO
CE AND GS STANDARD



1 POWER



1 HDMI



1 USB PORT

Unique patent pending technology

These satellite outlets are well suited for both individual desks and conference tables. Their combined use offer a complete technical solution, when a wide range of options is required. The satellite is easily mounted in table tops and can after that be adjusted in three levels depending on desired feature or needs.



Can also be supplemented with decor frame for installation of 1, 2 or 4 satellites in groups.

SPECIFIKATIONS

- **Electrical Connection:**
Schuko / grounded 1.5m
HDMI
USB Port
- Adjustable in 3 levels
- Drilling diameter 79 mm
- Power, HDMI, USB port
Black 935-PD13
White 935-PD13W
- **Accessories:**
- Decor frame, 115x115 mm
- Cover lid
Available in Silver / White / Black

Powerdot

Three level unit

935-PD14W White, 935-PD14 Black






935-PD14 – 1 x Power, 2 x USB-chargers



935-PD14W – 1 x Power, 2 x USB-chargers

Principle for height adjustment



CERTIFIED ACCORDING TO
CE AND GS STANDARD



1 POWER



2 USB-CHARGERS



1 CABLE FEEDTHROUGH

Unique patent pending technology

These complementary satellite outlets are well suited for both individual desks and conference tables. Their combined use offer a complete technical solution, when a wide range of options is required. The satellite is easily mounted in table tops and can after that be adjusted in three levels depending on desired feature or needs.




Can also be supplemented with decor frame for installation of 1, 2 or 4 satellites in groups.

SPECIFIKATIONS

- Electrical Connection:
Schuko / grounded 1.5m
USB Charger 5V, 2400 mA
- Adjustable in 3 levels
- Drilling diameter 79 mm
- Power, 2 x USB charger
Black 935-PD14
White 935-PD14W
- Accessories:
- Decor frame, 115x115 mm
- Cover lid
Available in Silver / White / Black

Powerdot

PD16 with **USB-C**



PD16 is available in EU Schuko, French, Suisse and Danish version.




935-PD16W	POWERDOT PD16. SCHUKO , WHITE
935-PD16	POWERDOT PD16. SCHUKO , BLACK
935-PD36W	POWERDOT PD16. FRENCH , WHITE
935-PD36	POWERDOT PD16. FRENCH , BLACK
935-PD46W	POWERDOT PD16. DANISH , WHITE
935-PD46	POWERDOT PD16. DANISH , BLACK
935-PD56W	POWERDOT PD16. SUISSE , WHITE
935-PD56	POWERDOT PD16. SUISSE , BLACK

Communication and charging.... where you want it!

Let Powerdot be your interface for communication between devices, or let it be a potent charging station. With this Powerdot, only one single cable is needed on the desk and in the conference - it is the new future standard facilitate a "clean desk". This version of Powerdot is versatile - in spite of this, it has a significantly low building height below desk.

The USB-C port can be used as an additional quick charging port for your smartphone or for compatible laptops; The port may as well be combined with a port replicator for access to power, display, internet, keyboard, mouse, etc using only one cable!



- 1 POWER
- 1 USB-CHARGER (QUICK)
- 1 USB-C CONNECTION
- 2 CABLE FEEDTHROUGH

SPECIFICATIONS

- 1 x Power, 1 x USB-charger (QC2.0 5-12V, 1-2A), 1 x USB-C port (3.1 Gen1 20V, 3A)
- Connection: Schuko/grounded 1.5 m (3x1.5 mm²)
- Drilling diameter 79 mm
- Height 68 mm
- Max tabletop 30 mm
- Adjustable in two height levels

Accessories: Frames & covers, 105x105 mm, Silver/White/Black

Powerdot

Create your solution




Flexible solutions

The benefits of using a Powerdot based kit for your meeting or conference room is obvious, you can adapt your configuration exactly how you want it. And of course, when the demands change in the future, any configuration is easily adjusted. Flushmount Powerdot for access in tabletop or in our tray niceley concealed with a tablecover.



Direct access in tabletop - Available in white, silver and black


Concealed access - Available in white, silver and black



DECOR FRAME + 2 x COVERS
See Product range overview



DECOR FRAME + 4 x COVERS
See Product range overview



NOTE.
A TRAY FOR 2 POWERDOTS
IS ALSO AVAILABLE

Powerdot

For conference- and meeting rooms



Flexible solutions

The benefits of using a Powerdot based kit for your meeting or conference room is obvious, you can adapt your configuration exactly how you want it. And of course, when the demands change in the future, any configuration is easily adjusted. Choose our 2 or 5-piece package solution.

COMPLETE KITS **WITH** POWERDOTS (PD10)

INCLUDES TABLE COVER, POWERDOT TRAY,
POWERDOT PD10, TEXTILE BAG, MULTIPLE SOCKET

SMALL 2


DIMENSION COVER: 310 X 148 MM. CUT OUT: 300 X 140 MM
2 POWERDOTS, TOTAL 2 POWER, 8 CABLE FEED-THROUGH

- 935-K210W POWERDOT SMALL CONFERENCE, 2 POWERDOT, WHITE
- 935-K210 POWERDOT SMALL CONFERENCE, 2 POWERDOT, SILVER
- 935-K210B POWERDOT SMALL CONFERENCE, 2 POWERDOT, BLACK

LARGE 5

DIMENSION COVER: 610 X 148 MM. CUT OUT: 600 X 140 MM
5 POWERDOTS, TOTAL 5 POWER, 20 CABLE FEED-THROUGH

- 935-K510W POWERDOT LARGE CONFERENCE, 5 POWERDOT, WHITE
- 935-K510 POWERDOT LARGE CONFERENCE, 5 POWERDOT, SILVER
- 935-K510B POWERDOT LARGE CONFERENCE, 5 POWERDOT, BLACK



COMPLETE PACK **WITHOUT** POWERDOTS

INCLUDES TABLE COVER, POWERDOT TRAY,
TEXTILE BAG, MULTIPLE SOCKET

SMALL 2

DIMENSION COVER: 310 X 148 MM. CUT OUT: 300 X 140 MM
2 SPACES FOR Ø80 POWERDOTS

- 935-K200W POWERDOT SMALL CONFERENCE, WHITE
- 935-K200 POWERDOT SMALL CONFERENCE, SILVER
- 935-K200B POWERDOT SMALL CONFERENCE, BLACK

LARGE 5

DIMENSION COVER: 610 X 148 MM. CUT OUT: 600 X 140 MM
5 SPACES FOR Ø80 POWERDOTS

- 935-K500W POWERDOT LARGE CONFERENCE, WHITE
- 935-K500 POWERDOT LARGE CONFERENCE, SILVER
- 935-K500B POWERDOT LARGE CONFERENCE, BLACK





Product range overview

Powerdot - Ø 79 mm



935-PD10W POWERDOT SATELLITE, WHITE
1 POWER, 4 X CABLE-THROUGH
FIXED LEVEL. HEIGHT 45 MM.



935-PD10 POWERDOT SATELLITE, BLACK
1 POWER, 4 X CABLE-THROUGH
FIXED LEVEL. HEIGHT 45 MM.



935-PD11 POWERDOT SATELLITE, BLACK
1 POWER, 4 X CABLE-THROUGH
VERTICALLY MOVABLE IN 3 POSITIONS.
HEIGHT 89 MM.



935-PD12W POWERDOT SATELLITE, WHITE
1 POWER, 1 DATA, 1 USB-CHARGER
VERTICALLY MOVABLE IN 3 POSITIONS.
HEIGHT 89 MM.



935-PD12 POWERDOT SATELLITE, BLACK
1 POWER, 1 DATA, 1 USB-CHARGER
VERTICALLY MOVABLE IN 3 POSITIONS.
HEIGHT 89 MM.



935-PD13W POWERDOT SATELLITE, WHITE
1 POWER, 1 HDMI, 1 USB-PORT
VERTICALLY MOVABLE IN 3 POSITIONS.
HEIGHT 89 MM.



935-PD13 POWERDOT SATELLITE, BLACK
1 POWER, 1 HDMI, 1 USB-PORT
VERTICALLY MOVABLE IN 3 POSITIONS.
HEIGHT 89 MM.



935-PD14W POWERDOT SATELLITE, WHITE
1 POWER, 2 USB-CHARGER
(2.1 A, TOT)
VERTICALLY MOVABLE IN 3 POSITIONS.
HEIGHT 89 MM.



935-PD14 POWERDOT SATELLITE, BLACK
1 POWER, 2 USB-CHARGER
(2.1 A, TOT)
VERTICALLY MOVABLE IN 3 POSITIONS.
HEIGHT 89 MM.



935-PD16W POWERDOT SATELLITE, WHITE
1 POWER, 1 USB-CHARGER
1 USB-C PORT, 2 CABLE-THROUGH
VERTICALLY MOVABLE IN 2 POSITIONS.
HEIGHT 74 MM.



935-PD16 POWERDOT SATELLITE, BLACK
1 POWER, 1 USB-CHARGER
1 USB-C PORT, 2 CABLE-THROUGH
VERTICALLY MOVABLE IN 2 POSITIONS.
HEIGHT 74 MM.

POWERDOT AVAILABLE IN SPECIFIC COUNTRY STANDARDS



935-PD20 POWERDOT SATELLITE, BLACK
1 POWER (**ENGLISH**),
4 CABLE-THROUGH
FIXED LEVEL. HEIGHT 45 MM.



935-PD30 ■ POWERDOT SATELLITE, BLACK
935-PD30W □ POWERDOT SATELLITE, WHITE
1 POWER (**FRENCH**),
4 CABLE PORT
FIXED LEVEL. HEIGHT 45 MM.



935-PD40 POWERDOT SATELLITE, BLACK
1 POWER (**DANISH**),
4 CABLE PORT
FIXED LEVEL. HEIGHT 45 MM.



935-PD56 POWERDOT SATELLITE, BLACK
1 POWER (**SWITZERLAND**)
1 USB-CHARGER
1 USB-C PORT, 2 FEED-THROUGHS
VERTICALLY MOVABLE IN 2 POSITIONS.
HEIGHT 74 MM.



935-PD22 POWERDOT SATELLITE, BLACK
1 POWER (**ENGELSK**), 1 DATA,
1 USB-CHARGER
VERTICALLY MOVABLE IN 3 POSITIONS.
HEIGHT 89 MM.



935-PD32 ■ POWERDOT SATELLITE, BLACK
935-PD32W □ POWERDOT SATELLIT, WHITE
1 POWER (**FRENCH**), 1 DATA,
1 USB-CHARGER
VERTICALLY MOVABLE IN 3 POSITIONS.
HEIGHT 89 MM.



935-PD42 POWERDOT SATELLITE, BLACK
1 POWER (**DANISH**), 1 DATA,
1 USB-CHARGER
VERTICALLY MOVABLE IN 3 POSITIONS.
HEIGHT 89 MM.




935-PD36 ■ POWERDOT SATELLITE, BLACK
935-PD36W □ POWERDOT SATELLITE, WHITE
1 POWER (**FRENCH**)
1 USB-CHARGER
1 USB-C PORT, 2 CABLE-THROUGH
VERTICALLY MOVABLE IN 2 POSITIONS.
HEIGHT 74 MM.



935-PD46 POWERDOT SATELLITE, BLACK
935-PD46W POWERDOT SATELLITE, WHITE
1 POWER (**DANISH**)
1 USB-CHARGER
1 USB-C PORT, 2 CABLE-THROUGH
VERTICALLY MOVABLE IN 2 POSITIONS.
HEIGHT 74 MM.

Powerdot

Accessories Ø 80 mm



POWERDOT **FRAMES & COVERS** Ø 80 MM

- 935-PF01W □ METAL FRAME, FOR 1 POWERDOT, WHITE
- 935-PF01 ■ METAL FRAME, FOR 1 POWERDOT, SILVER
- 935-PF01B ■ METAL FRAME, FOR 1 POWERDOT, BLACK



- 935-PF02W □ METAL FRAME, FOR 2 POWERDOT, WHITE
- 935-PF02 ■ METAL FRAME, FOR 2 POWERDOT, SILVER
- 935-PF02B ■ METAL FRAME, FOR 2 POWERDOT, BLACK



- 935-PF04W □ METAL FRAME, FOR 4 POWERDOT, WHITE
- 935-PF04 ■ METAL FRAME, FOR 4 POWERDOT, SILVER
- 935-PF04B ■ METAL FRAME, FOR 4 POWERDOT, BLACK




- 935-PFCW □ METAL COVER, WHITE
- 935-PFCS ■ METAL COVER, SILVER
- 935-PFCB ■ METAL COVER, BLACK





Powerdot

Midi Ø 60 mm




Even smaller...

The 60 mm Powerdot meets the demand for a fancy access point including power, and any cables that can be fitted through. The PM61 model has instead a powerful USB-charger for your convenience. It may be mounted in a standard 60 mm hole or integrated in the tabletop with a milled edge for a stylish flush appearance.




935-PM60W POWERDOT MIDI, WHITE
1 POWER, 1 CABLE PORT WITH CLIPS
1.7 M CONNECTION (SCHUKO)
FIXED LEVEL, HEIGHT 74.1 MM



935-PM60 POWERDOT MIDI, BLACK
1 POWER, 1 CABLE PORT WITH CLIPS
1.7 M CONNECTION (SCHUKO)
FIXED LEVEL, HEIGHT 74.1 MM



935-PM61W POWERDOT MIDI, WHITE
1 POWER, 1 USB-CHARGER (2.1A)
1.7 M CONNECTION (SCHUKO)
FIXED LEVEL, HEIGHT 82.1 MM



935-PM61 POWERDOT MIDI, BLACK
1 POWER, 1 USB-CHARGER (2.1A)
1.7 M CONNECTION (SCHUKO)
FIXED LEVEL, HEIGHT 82.1 MM

935-PM71 POWERDOT MIDI, UK VERSION

935-PM81 POWERDOT MIDI, FRENCH VERSION


SPECIFICATIONS

- 1 x Power, 1 x USB-charger (QC2.0 5-12V, 1-2A), 1 x USB-C port (3.1 Gen1 20V, 3A)
- Connection: Schuko/grounded 1.5 m (3x1.5 mm²)
- Drilling diameter 60 mm
- Height 74/82 mm
- Max tabletop 52 mm
- Adjustable in two height levels

Accessories: Frames & covers, 105x105 mm, Silver/White/Black

Powerdot

Mini Ø 51 mm



The world's smallest outlet!

The Powerdot Mini is made to allow an electrical outlet to fit. We made an additional alternative version with 2 USB charger ports in the same size.



935-PM50W □ POWERDOT MINI, WHITE
 935-PM50 ■ POWERDOT MINI, BLACK
 1 POWER OUTLET

935-PM51W □ POWERDOT MINI, WHITE
 935-PM51 ■ POWERDOT MINI, BLACK
 2 USB-CHARGER (2.4 A)

SPECIFICATIONS



- Power cord 1.5 m (Schuko)
- Max tabletop 30 mm
- Height total 65 mm
- Drilling diameter 51 mm
- Part no
 1 Power:
 935-PM50 Black
 935-PM50W White

 2 USB-chargers:
 935-PM51 Black
 935-PM51W White

Powerdot

Micro Ø 30 mm

935-PM30 Black 935-PM30W White



Maximum table width: 26 mm




CERTIFIED ACCORDING TO
CE AND GS STANDARD



2 USB-CHARGERS

Only the essential...

The Powerdot meets the demand for a small, stylish USB charger that fits almost anywhere. It has the modest diameter of only 30 mm, still equipped with two outlets of total 2 A charging power.



PM30(W) has a small power adapter included.
You can also connect the USB cable to any other USB port.

SPECIFICATIONS

- Electrical Connection:
2 x USB Charger
Total 5V, 2000 mA
- Power cord 1.5 m
- Max tabletop 26 mm
- Height total 35.8 mm
- Drilling diameter 30 mm
- Part no
935-PM30 Black
935-PM30W White



Kondator AB
P.O. Box 121
S-135 23 Tyresö
SWEDEN

Visiting address
Energivägen 8
S-135 49 Tyresö
SWEDEN

Telephone +46-8-556 595 00

web www.kondator.se
e-mail info@kondator.se

Org no 556500-1947



Kondator values our environment and our Management System is Certified by Intertek according to ISO14001, Certificate 1417792



Kondator is associated to FTI - the Packaging and Newspaper Collection Service and El-Kretsen for active recycling of packaging material and electronic devices.