

Product data sheet PUC 2408

Dimensions in mm [inch]

Max weight: 40 kg / 88.2 lbs

Fits:


PUC 1045 PUC 1051 PFI 3015 / 3045 PFA 9038 PFA 9127 PPC 1500/2500 PFA 310 / 320 PFB-34xx

Accessories

1x CIS Cover

In box PUC 1045:

2x	Cable clip
1x	Fail safe
1x	M6 x 50 screw (T30)
1x	Cover PUC 24xx





Note: This document and specifications herein are confidential and the exclusive property of Vogel's Products b.v. Neither this design nor any information contained in this drawing may be reproduced or disclosed to others without written consent of Vogel's Products b.v. The design and information will not be reproduced, copied or used, either in part or in its entirety, as the basis for the manufacture or sale of items without written permission. Warning: Rease study all instructions and illustrations carefully before installation. Information in this document is subject to change without further notice.


T440323 00 Product data sheet **15-03-19**



Profile PUC 2415







Product data sheet PUC 2415

Dimensions in mm [inch]

Max weight: 40 kg / 88.2 lbs

Fits:

PUC 1045 PUC 1051 PFI 3015 / 3045 PFA 9038 PFA 9127 PPC 1500/2500 PFA 310 / 320 PFB-34xx

Accessories


1x CIS Cover


<u>In box PUC 1045</u>

2x	Cable clip
1x	Fail safe
1x	M6 x 50 screw (T30)
lx	Cover PUC 24xx

Note: This document and specifications herein are confidential and the exclusive property of Vogels Products b.v. Neither this design nor any information contained in this drawing may be reproduced or disclosed to others without written consent of Vogel's Products b.v. The design and information will not be reproduced, copied or used, either in part or in its entirety, as the basis for the manufacture or sale of items without written permission. Warning: Rease study all instructions and illustrations carefully before installation. Information in this document is subject to change without further notice.







Product data sheet PUC 2422

Dimensions in mm [inch]

Max weight: 40 kg / 88.2 lbs

Fits:

PUC 1045 PUC 1051 PFI 3015 / 3045 PFA 9038 PFA 9127 PPC 1500/2500 PFA 310 / 320 PFB-34xx

Accessories


1x CIS Cover


<u>In box PUC 1045</u>


2x	Cable clip
1x	Fail safe
1x	M6 x 50 screw (T30)
1x	Cover PUC 24xx


Note: This document and specifications herein are confidential and the exclusive property of Vogels Products b.v. Neither this design nor any information contained in this drawing may be reproduced or disclosed to others without written consent of Vogel's Products b.v. The design and information will not be reproduced, copied or used, either in part or in its entirety, as the basis for the manufacture or sale of items without written permission. Warning: Rease study all instructions and illustrations carefully before installation. Information in this document is subject to change without further notice.











Product data sheet PUC 2430

Dimensions in mm [inch]

Max weight: 40 kg / 88.2 lbs

Fits:

PUC 1045 PUC 1051 PFI 3015 / 3045 PFA 9038 PFA 9127 PPC 1500/2500 PFA 310 / 320 PFB-34xx

Accessories

2x CIS Cover

<u>In box PUC 1045</u>

2x	Cable clip
1x	Fail safe
1x	M6 x 50 screw (T30)
1x	Cover PUC 24xx

Note: This document and specifications herein are confidential and the exclusive property of Vogel's Products b.v. Neither this design nor any information contained in this drawing may be reproduced or disclosed to others without written consent of Vogel's Products b.v. The design and information will not be reproduced, copied or used, either in part or in its entirety, as the basis for the manufacture or sale of items without written permission. Warning: Rease study all instructions and illustrations carefully before installation. Information in this document is subject to change without further notice.